

Administrative Officer,
Planning Department,
South Dublin County Council,
County Hall,
Tallaght,
Dublin 24

13<sup>th</sup> March 2014

Harcourt Lane, Dublin 2

Dún Scéine, Baile Atha Cliath 2

tel: 01 879 8300 fax: 01 879 8333

**email:** info@nationaltransport.ie **web:** www.nationaltransport.ie

Re: Proposed Material Alterations to the Draft Local Area Plan for Ballycullen / Oldcourt, Co. Dublin.

Dear Sir/Madam,

The National Transport Authority ("the Authority") welcomes the opportunity to comment on the Proposed Material Alterations to the Ballycullen / Oldcourt Draft Local Area Plan and wish to reiterate our support for Objective AM18, which seeks to upgrade existing cul-de-sacs to provide for, at a minimum, pedestrian and cyclist access.

As such, the proposal to remove entirely, for all modes, the link into Stocking Wood Drive, is not supported. The Authority recommends that a link for pedestrians and cyclists only is inserted into the plan, in accordance with the recommendations contained in the Manager's Report.

I trust that these views will be taken into consideration in the finalisation of the Ballycullen / Oldcourt Local Area Plan.

Yours sincerely,

Hugh Creegan

Director of Transport Investment and Taxi Regulation

